

# 2024 Water Quality Report

The Annual Water Quality Report is for the period of January 1 to December 31, 2024. This report is intended to provide you with important information about your drinking water and the efforts made by the water system to provide safe drinking water.

The elected Board of Directors of the System meets every 3rd Tuesday of the month at 6:30 PM. The meeting is normally held at the Corporations' office located at 2393 County Road 311 in Jarrell, TX. Meeting notices are posted with Bell and Williamson Counties and at the Corporations' office.

#### En Español

Este reporte incluye información importante sobre el agua para tomar. Para asistencia en español, favor de llamar al telefono (512) 746-2114.

### **Substances That Could Be in Water**

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. FDA regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

Contaminants that may be present in source water include:

- Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- Inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.
- Radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities.

Contaminants may be found in drinking water that may cause taste, color, or odor problems. These types of problems are not necessarily causes for health concerns. For more information on taste, odor, or color of drinking water, please contact the system's business office.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPAs Safe Drinking Water Hotline at (800) 426-4791.

#### **Secondary Contaminants**

Many constituents such as calcium, sodium or iron which are often found in drinking water can cause taste, color and odor problems. The taste and odor constituents are called secondary contaminants and are regulated by the State of Texas and not the EPA. These constituents are not causes for health concerns. Therefore, secondary contaminants are not required to be reported in this document, but they may greatly affect the appearance and taste of your water. Please call (512) 746-2114 if you have any questions regarding these contaminants

## **Important Health Information**

You may be more vulnerable than the general population to certain microbial contaminants, such as Cryptosporidium, in drinking water. Infants, some elderly, or immunocompromised people such as those undergoing chemotherapy for cancer; people who have undergone organ transplants; those who are undergoing treatment with steroids; and people with HIV/AIDS or other immune system disorders, can be particularly at risk from infections. You should seek advice about drinking water from your physician or health care providers. Additional guidelines on appropriate means to lessen the risk of infection by Cryptosporidium are available from the Safe Drinking Water Hotline (800-426-4791).

#### Lead in Home Plumbing

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. We are responsible for providing high quality drinking water, but we cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <a href="http://www.epa.gov/safewater/lead">http://www.epa.gov/safewater/lead</a>.

A Lead Service Line Inventory (LSLI) has been prepared and is publicly accessible on the Jarrell-Schwertner WSC website: <a href="https://www.jswatersupply.com/documents/737/">https://www.jswatersupply.com/documents/737/</a> The inventory found no lead, galvanized requiring replacement, or unknown service lines in the water system.

#### **Exceedance of Fluoride Secondary Maximum Contaminant Level**

This is an alert about your drinking water and a cosmetic dental problem that might affect children under nine years of age. At low levels, fluoride can help prevent cavities, but children drinking water containing more than 2 milligrams per liter (mg/L) of fluoride may develop cosmetic discoloration of their permanent teeth (dental fluorosis). The drinking water provided by your community water system Jarrell Schwertner WSC has a fluoride concentration of 2.12 mg/L in 2023.

The wells that produced the concentration of 2.12 MG/L are in the southwestern area of the water system and affect 363 of the systems' 2,736 connections. Samples collected and affecting the remaining 2,373 connections have concentrations of Fluoride below 0.3 mg/L. The Southwestern area is considered south of the City of Jarrell on the west side of IH 35, CR314, CR 311, and FM 1105 up to CR 314.

Dental fluorosis, in its moderate or severe forms, may result in brown staining and/or pitting of the permanent teeth. This problem occurs only in developing teeth before they erupt from the gums. Children under nine should be provided with alternative sources of drinking

water or water that has been treated to remove the fluoride to avoid the possibility of staining and pitting of their permanent teeth. You may also want to contact your dentist about proper use by young children of fluoride-containing products. Older children and adults may safely drink the water.

Drinking water containing more than 4 MG/L of fluoride (the U.S. Environmental Protection Agency's drinking water standard) can increase your risk of developing bone disease. Your drinking water does not contain more than 4 MG/L of fluoride, but we're required to notify you when we discover that the fluoride levels in your drinking water exceed 2 MG/L because of this cosmetic dental problem.

For more information, please call Joe Simmons of Jarrell Schwertner WSC at (512) 746-2114. Some home water treatment units are also available to remove fluoride from drinking water. To learn more about available home water treatment units, you may call NSF International at 1-877-8-NSF-HELP.

## **Source of Drinking Water**

The source of drinking water primarily used by Jarrell Schwertner WSC is ground water. System-owned wells, in addition to the wells owned by Salado Water Supply Corporation, draw water from the Edwards Aquifer located in Bell and Williamson counties. There are areas in the northern and eastern parts of the Jarrell- Schwertner WSC that are served by surface water from Central Texas Water Supply Corporation. The source of their water is Lake Stillhouse Hollow located in Bell County. Lake Granger is the source for water purchased from the Lone Star Regional Water Authority.

The Texas Commission on Environmental Quality (TCEQ) completed an assessment of your source water, and results indicate that some of our sources are susceptible to certain contaminants. The sampling requirements for your water system are based on this susceptibility and previous sample data. Any detections of these contaminants will be found in this Consumer Confidence Report. For more information on source water assessments and protection efforts at our system contact Joe Simmons at (512) 746-2114.

#### **Purchased Sources**

Jarrell Schwertner WSC customers along Royal, Blackberry, East Amity and the Live Oak Subdivision have received water from two outside sources. Those are either Salado Water Supply Corporation noted as SALADO in the report or Central Texas Water Supply Corporation noted as CTWSC.

Jarrell Schwertner WSC customers along CR 303, CR 322, CR 323, CR 382, CR 319, CR 318, East FM 487 (in Schwertner) and East FM 1105 (in Schwertner) receive water from Brazos River Authority Lake Granger plant through the Lone Star Regional Water Authority pipeline. This is noted as LSRWA-BRA in the report.

### **Emergency Source**

Jarrell Schwertner WSC may take water from Sonterra Municipal Utility District which is shown as *SONTERRA* in the report. Water taken from Sonterra MUD is an emergency supply and would influence water quality in an area west and east of IH 35 near County Roads 310 and 311. Jarrell Schwertner WSC did not utilize this source as a supply of water in 2024.

## **System Water Loss**

In early 2025 the Jarrell Schwertner WSC submitted an annual water loss report to the Texas Water Development Board from January 1 to December 31, 2024. The estimated water loss was 74,336,134 gallons. The Jarrell Schwertner WSC does have an on-going program to lessen these losses. If you have any questions about the water loss audit, please call the WSC at (512) 746-2114.

### **Lab Results**

Our water is monitored for many kinds of substances on a very strict sampling schedule, and the water we deliver must meet specific health standards. Here, we only show those substances that were detected in our water. Remember that detecting a substance does not mean the water is unsafe to drink; our goal is to keep all detections below their respective maximum allowed levels.

The state recommends monitoring for certain substances less than once per year because the concentrations of these substances do not change frequently. In these cases, the most recent sample data are included, along with the year in which the sample was taken.

			REGULAT	ED SUBSTANCES				
SUBSTANCE (UNIT OF MEASURE)	WATER SOURCE	COLLECTION YEAR	AMOUNT DETECTED	RANGE OF LEVELS	MCLG [MRDLG]	MCL [MRDL]	VIOLATION	LIKELY SOURCE OF CONTAMINATION
	JSWSC	2024	Less than 0.1	Less than 0.1	3	3	Ν	5 "(
Atrazine (ppb)	LSRWA-BRA	2024	0.5	0.5 - 0.5	3	3	Ν	Runoff from herbicides used in row crops
	CTWSC	2024	1.4	1.0 - 1.4	3	3	Ν	Tow crops
	SALADO	2023	0.0458	0.0458 - 0.0458	2	2	N	
	CTWSC	2024	0.0383	0.0343 - 0.0383	2	2	N	Discharge of drilling wastes;
Barium (ppm)	SONTERRA	2024	0.0506	0.048 - 0.0506	2	2	Ν	Discharge from metal refinerie
	LSRWA-BRA	2024	0.0491	0.0491 - 0.0491	2	2	Ν	Erosion of natural deposits
	JSWSC	2022	0.0526	0.0422 - 0.0526	2	2	N	
	LSRWA-BRA	2017	2.41	2.41 - 2.41	0	5	N	
Combined Radium (226/228)	CTWSC	2011	1.0	1.0 - 1.0	0	5	N	Erosion of natural deposits
(pCi/L)	JSWSC	2021	1.5	1.5 - 1.5	0	5	N	
	JSWSC	2023	Less than 0.01	Less than 0.01	0.2	0.2	N	
	SALADO	2023	Less than 0.01	Less than 0.01	0.2	0.2	N	Discharge from platic and
Cyanide (ppm)	LSRWA-BRA	2024	0.03	.0303	0.2	0.2	N	fertilizer factories; Discharge fro
Cyamac (pp)	CTWSC	2024	0.21	0.09 - 0.21	0.2	0.2	N	steel/metal factories
	SONTERRA	2024	0.04	.0204	0.2	0.2	N	
	JSWSC	2023	2.12	0.23 - 2.12	4	4	N	Erosion of natural deposits; Wat
Fluoride (ppm)	SALADO LSRWA-BRA	2023 2024	1.29 0.27	0.26 - 1.29 0.27 - 0.27	4	4	N N	additive which promotes stron
Flooride (ppm)	CTWSC	2024	0.72	0.19 - 0.72	4		N N	teeth; Discharge from fertilize
	SONTERRA	2024	1.94	1.16 - 1.94	4	4	N	and aluminum factories
+					· ·			
Gross Alpha including Radon	JSWSC	2024	Less than 3.0	Less than 3.0	0	15	N	
and Uranium (pCi/L)	LSRW A-BRA	2023	Less than 3.0	Less than 3.0	0	15	N	Erosion of natural deposits
	CTWSC	2024	Less than 3.0	Less than 3.0	0	15	N	
Haloacetic Acids [HAA5]	JSWSC	2024	28,4	1.7 - 28.4	No goal for the	60	N	Byproduct of drinking wa
(ppb)*	CTWSC	2024	66.5	11.6 - 66.5	total	60	N	chlorination
	LSRWA-BRA	2024	28.4	16.6 - 28.4		60	N	
	SONTERRA	2024	0.93	0.15 - 0.93	10	10	N	Runoff from fertilizer use;
itrate (measured as Nitrogen)	JSWSC	2024	4.93	0.05 - 4.93	10	10	N	Leaching from septic tanks,
(ppm)	LSRWA-BRA	2024	0.35	0.35 - 0.35	10	10	N	sewage; Erosion of natural
	CTWSC	2024	0.89	0.25 - 0.89	10	10	N	deposits
	SALADO	2024	4.39	0.35 - 4.39	10	10	N	·
	CTWSC	2024	Less than 0.003	Less than 0.003	50	50	N	Discharge from petroleum and
Selenium (ppm)	LSRWA-BRA	2024	0.0033	0.0033 - 0.0033	50	50	Ν	metal refineries; Erosion of
Sciemon (ppm)	JSWSC	2022	0.0054	0.003 - 0.0054	50	50	Ν	natural deposits; Discharge fro
	SALADO	2023	Less than 0.003	Less than 0.003	50	50	Ν	mines
	JSWSC	2024	70.8	13.1 - 70.8		80	Ν	
otal Trihalomethanes [TTHM]	CTWSC	2024	159	17 - 159	No goal for the	80	Ν	Byproduct of drinking water
(ppb)*	SALADO	2024	35.7	7.4 - 35.7	total	80	Ν	chlorination
	LSRWA-BRA	2024	84	44 - 84		80	N	
						TT* = 95% of		
Turbidity (Lowest monthly	CTWSC	2024	100%	NA	NA	samples	Ν	
percentage of samples						meet samples		Soil runoff
meeting limit)	LSRWA-BRA	2024	100%	NA	NA	meet	N	
						0.30 limit		
	CTWSC	2024	0.72	0.0 - 0.72	NA	TT*=1	N	
Turbidity (NTU)	LSRWA-BRA	2024	0.23	0.10 - 0.23	NA	TT*= 1	N	Soil rinoff
	JSWSC	2022	17.3	0 - 17.3	100	100	**	
	SALADO	2022	17.3 Less than 0.01	0 - 17.3 Less than 0.01	100	100		Discharge from steel and pul
Chromium (ppb)	LSRWA-BRA	2023	Less than 0.01	Less than 0.01	100	100	N	mills; Erosion from natural depo
	CTWSC	2024	Less than 0.01	Less than 0.01	100	100		s, Erosion nominatoral depo
	JSWSC	2024	1.75	1.72 - 1.77	4	4	Ν	Disinfectant used to control

<sup>\*</sup>The value in the Highest Level or Average Detected column is the highest average of all sample results collected at a location over a year.

<sup>\*\*</sup>The value in the Amount Detected column is the annual average.

COLIFORM BACTERIA								
SUBSTANCE (UNIT OF MEASURE)	WATER SOURCE	COLLECTION YEAR	AMOUNT DETECTED	RANGE OF LEVELS DETECTED	MCLG	MCL	VIOLATION	LIKELY SOURCE OF CONTAMINATION
Total Coliform (Highest Number of Positive Samples)	JSWSC	2024	0	NA	0	0	N	Naturally present in the environment
Fecal Coliform or E. coli (Highest Number of Positive Samples)	JSWSC	2024	0	NA	0	0	N	Naturally present in the environment

		These contaminant		DARY SUBSTANCES ed to present a risk to	human he	alth at the S <i>l</i>	MCL.	
SUBSTANCE (UNIT OF MEASURE)	WATER SOURCE	COLLECTION YEAR	AMOUNT DETECTED	RANGE OF LEVELS DETECTED	MCLG	SMCL	VIOLATION	LIKELY SOURCE OF CONTAMINATION
	CTWSC	2024	Less than 0.02	Less than 0.02	NA	0.05 - 0.20	N	
	SALADO	2023	Less than 0.02	Less than 0.02	NA	0.05 - 0.20	N	Francisco of mark wall
Aluminum (ppm)	SONTERRA	2024	0.0773	0.0636 - 0.0773	NA	0.05 - 0.20	N	Erosion of natural deposits
(ppiri)	LSRWA-BRA	2024	0.239	0.239 - 0.239	NA	0.05 - 0.20	N	ueposiis
	JSWSC	2022	0.269	0.02 - 0.269	NA	0.05 - 0.20	N	
	JSWSC	2023	23	16 - 23	NA	300	N	
	SALADO	2023	21	17 - 21	NA	300	N	D ((()
Chloride (ppm)	CTWSC	2024	152	89 - 152	NA	300	N	Runoff/leaching from
	LSRWA-BRA	2024	55	55 - 55	NA	300	N	natural deposits
	SONTERRA	2024	66	64 - 66	NA	300	N	
	CTWSC	2024	0.0228	0.0079 - 0.0228	NA	1	N	Corrosion of
C (	SALADO	2023	2.98	0.0164 - 2.98	NA	1	N	household plumbing systems; Erosion of
Copper (ppm)	LSRWA-BRA	2024	0.0056	0.0056 - 0.0056	NA	1	N	
	JSWSC	2022	0.0966	0.05 - 0.0966	NA	1	N	natural deposits
	JSWSC	2022	0.199	0.01 - 0.199	NA	0.3	N	Leaching from natura deposits; Industrial
. , ,	LSRWA-BRA	2024	0.049	0.049 - 0.049	NA	0.3	N	
Iron (ppm)	SALADO	2023	Less than 0.01	Less than 0.01	NA	0.3	N	
	CTWSC	2024	0.052	.010052	NA	0.3	N	wastes
	CTWSC	2024	0.0074	.00180074	NA	0.05	N	
	JSWSC	2022	0.031	0.001 - 0.031	NA	0.05	N	
Manganese	SALADO	2023	Less than 0.001	Less than 0.001	NA	0.05	N	Leaching from natura
(ppm)	LSRWA-BRA	2024	0.002	0.002 - 0.002	NA	0.05	N	deposits
	SONTERRA	2024	0.001	0.001 - 0.001	NA	0.05	N	
	JSWSC	2023	33	18 - 33	NA	300	N	
	SALADO	2023	31	18 - 31	NA	300	N	Runoff/leaching from
Sulfate (ppm)	LSRWA-BRA	2024	41	41 - 41	NA	300	N	natural deposits;
	CTWSC	2024	82	27 - 82	NA	300	N	Industrial wastes
	SONTERRA	2024	63	52 - 63	NA	300	N	
	JSWSC	2023	342	336 - 342	NA	1000	N	
	SALADO	2023	372	320 - 372	NA	1000	N	Runoff/leaching from natural deposits
Total Dissolved	CTWSC	2024	539	309 - 539	NA	1000	N	
Solids (ppm)	LSRWA-BRA	2024	268	268 - 268	NA	1000	N	
	SONTERRA	2024	397	346 - 397	NA	1000	N	
_	CTWSC	2024	0.0185	0.005 - 0.0185	NA	5	N	
	JSWSC	2022	0.191	0.005 - 0.191	NA	5	N	Runoff/leaching from
Zinc (ppm)	SONTERRA	2024	0.0102	0.0056 - 0.0102	NA	5	N	natural deposits;
	LSRWA-BRA	2024	0.0062	0.0062 - 0.0062	NA	5	N	Industrial wastes
	SALADO	2023	Less than 0.005	Less than 0.005	NA	5	N	

LEAD AND COPPER RULE								
SUBSTANCE (UNIT OF MEASURE)	WATER SOURCE	COLLECTION YEAR	AMOUNT DETECTED (90TH PERCENTILE)	SITES ABOVE AL/ TOTAL SITES	MCLG	AL*	VIOLATION	LIKELY SOURCE OF CONTAMINATION
Copper (ppm)	JSWSC	2022	0.1264	0/20	1.3	1.3	N	Corrosion of household plumbingErosion of natural deposits; Leaching from wood preservatives
Lead (ppb)	JSWSC	2022	0	0/20	0	15	N	Corrosion of household plumbing systems; Erosion of natural deposits

<sup>\*</sup>Action Level - The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

		UNREGULATED SUBSTA	NCES			
SUBSTANCE (UNIT OF MEASURE)	WATER SOURCE	COLLECTION YEAR	AMOUNT DETECTED	RANGE OF LEVELS DETECTED	LIKELY SOURCE OF CONTAMINATION	
	JSWSC	2024	27.1	1.0 - 27.1	Monitoring helps	
	CTWSC	2024	45.2	3.8 - 45.2	EPA to determine	
Bromodichloromethane (ppb)	SALADO	2024	9.7	1 - 9.7	source and if	
	LSRWA-BRA	2023	31.1	16.1 - 31.1	regulation is	
	SONTERRA	2024	20.9	11.3 - 20.9	needed	
	JSWSC	2024	3.7	1.0 - 3.7	Monitoring helps	
	CTWSC	2024	29.3	1.3 - 29.3	EPA to determine	
Bromoform (ppb)	SONTERRA	2024	5.6	2.5 - 5.6	source and if	
	LSRWA-BRA	2024	4.4	2.8 - 4.4	regulation is	
	SALADO	2024	8.1	1.0 - 8.1	needed	
	CTWSC	2024	36.5	2.0 - 36.5	Monitoring helps	
	JSWSC	2024	20.4	1.0 - 20.4	EPA to determine	
Chloroform (ppb)	SALADO	2024	3.1	1.0 - 3.1	source and if	
	LSRWA-BRA	2024	30	11.6 - 30	regulation is	
	SONTERRA	2024	14	5.6 - 14.0	needed	
	JSWSC	2024	5.1	1.7 - 5.1		
	CTWSC	2024	18.3	4.9 - 18.3	Byproduct of drinking water	
Dibromoacetic Acid (ppb)	SALADO	2024	4.4	1.4 - 4.4		
	LSRWA-BRA	2024	4.2	3.1 - 4.2	disinfection	
	SONTERRA	2024	5.7	2.2 - 5.7		
	JSWSC	2024	19.6	1 - 19.6	Monitoring helps	
Nils and the second law (see le)	SALADO	2024	14.8	1.0 - 14.8	EPA to determine	
Dibromochloromethane (ppb)	LSRWA-BRA	2024	22.4	13.5 - 22.4	source and if regulation is	
	CTWSC	2024	47.7	2.8 - 47.7	needed	
	JSWSC	2024	14.4	1.0 - 14.4	11000000	
	SALADO	2024	1.5	1.0 - 1.5	Byproduct of	
Dichloroacetic Acid (ppb)	CTWSC	2024	29.1	5.6 - 29.1	drinking water disinfection	
	LSRWA-BRA	2024	13.9	8.1 - 13.9	distrilection	
	JSWSC	2022	0.0028	0.0014 - 0.0028	Discharge from	
	CTWSC	2024	0.0019	0.0011 - 0.0019	petroleum and	
Nickel (ppm)	LSRWA-BRA	2024	0.0017	0.0018 - 0.0018	metal refineries;	
	SALADO	2023	0.0018	0.0018 - 0.0018	Erosion of natural	
	JSWSC	2023	13.9	11.5 - 13.9	deposits	
	SALADO	2023	13.2	13.2 - 13.2	Erosion of most	
Sodium (ppm)	LSRWA-BRA	2023	30.7	30.7 - 30.7	Erosion of natural deposits	
	CTWSC	2024	142	42.1 - 142	GCPOSIIS	
	CIVVSC	2024	142	42.1 - 142		

SUBSTANCE (UNIT OF	WATER SOURCE	COLLECTION	AMOUNT	RANGE OF LEVELS	LIKELY SOURCE OF	
MEASURE)		YEAR	DETECTED	DETECTED	CONTAMINATION	
Bicarbonate (ppm)	JSWSC	2023	333	309 - 333		
	SALADO	2023	338	285 - 338	Erosion of natural	
production (ppm)	LSRWA-BRA	2024	116	116 - 116	deposits	
	CTWSC	2024	218	143 -218		
	SALADO	2019	Less than 0.21	no detection		
Bromacil (ppb)	LSRWA-BRA	2024	Less than 0.2	no detection	Runoff from herbicide	
Bioinacii (ppb)	CTWSC	2024	Less than 0.2	no detection	use	
	JSWSC	2024	Less than 0.2	no detection		
	SALADO	2023	90.5	90.5 - 90.5		
Calcium (nnm)	JSWSC	2022	94.4	69.9 - 94.4	Erosion of natural	
Calcium (ppm)	LSRWA-BRA	2024	42.8	42.8 - 42.8	deposits	
	CTWSC	2024	52.3	29.8 - 52.3		
	CTWSC	2022	17	3.1 - 17	Naturally present in	
Hexadecanoic Acid	JSWSC	2021	3	3.0 - 3.0	palm oil as well as butter, cheese, mil	
(ppb)	LSRWA-BRA	2023	6.1	6.1 - 6.1		
	SALADO	2022	2.8	2.8 - 2.8	and meat	
	SALADO	2023	Less than 0.001	no detection		
Lead (ppm)	LSRWA-BRA	2024	Less than 0.001	no detection	Corrosion of househol plumbing systems; Erosi of natural deposits	
<b></b> (pp)	CTWSC	2024	Less than 0.001	no detection		
	JSWSC	2022	0.0154	0.0 - 0.0154		
	CTWSC	2024	19.7	12.5 - 19.7		
Magnesium (ppm)	JSWSC	2022	26.6	14.4 - 26.6	Erosion of natural	
Magnesion (ppm)	LSRWA-BRA	2024	9.32	9.32 - 9.32	deposits	
	SALADO	2023	16	16 - 16		
	CTWSC	2024	3.89	3.47 - 3.89		
Potassium (ppm)	JSWSC	2022	1.42	1.16 - 1.42	Erosion of natural	
тогазант (рртт)	LSRWA-BRA	2024	4.42	4.42 - 4.42	deposits	
	SALADO	2023	1.17	1.17 - 1.17		
	JSWSC	2023	273	254 - 273		
Total Alkalinity (nom)	SALADO	2023	283	240 - 283	Erosion of natural	
Total Alkalinity (ppm)	LSRWA-BRA	2024	161	95 - 161	deposits	
	CTWSC	2024	206	117 - 206		
	CTWSC	2024	182	140 - 182		
Total Hardness (as	JSWSC	2022	297	278 - 297	Erosion of natural	
CaCO3) (ppm)	LSRWA-BRA	2024	145	145 - 145	deposits	
	SALADO	2023	292	292 - 292		

# **Definitions and Abbreviations**

AL	(Action Level) The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.
ALG	(Action Level Goal) The level of a contaminant in drinking water below which there is no known or expected risk to health. ALGs allow for a margin of safety.
Avg	Regulatory compliance with some MCLs are based on running annual average of monthly samples.
Level 1 Assessment	A Level 1 assessment is a study of the water system to identify potential problems and determine (if possible) why total coliform bacteria have been found in our water system.
Level 2 Assessment	A Level 2 assessment is a very detailed study of the water system to identify potential problems and determine (if possible) why an E. coli MCL violation has occurred and/or why total coliform bacteria have been found in our water system on multiple occasions.
MCL	(Maximum Contaminant Level) The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.
MCLG	(Maximum Contaminant Level Goal) The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.
MRDL	(Maximum Residual Disinfectant Level) The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.
MRDLG	(Maximum Residual Disinfectant Level Goal) The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.
MFL	(million fibers per liter) a measure of asbestos
mrem	(millirems per year) a measure of radiation absorbed by the body
NA	Not Applicable
NTU	(nephelometric turbidity units) a measure of turbidity
pCi/L	(picocuries per liter) a measure of radioactivity
ppb	(micrograms per liter or parts per billion) also, one ounce in 7,350,000 gallons of water
ppm	(milligrams per liter or parts per million) also, one ounce in 7,350 gallons of water
ppq	(parts per quadrillion or picograms per liter (pg/L))
ppt	(parts per trillion or nanograms per liter (ng/L))
SMCL	(Secondary Maximum Contaminant Level) Non-mandatory water quality standards established as guidelines to assist public water systems in managing their drinking water for aesthetic considerations, such as taste, color, and odor.
Π	(Treatment Technique) A required process intended to reduce the level of a contaminant in drinking water.



# THE PIPELINE

Spring 2025 Jarrell, TX

The Corporation has continued to grow in 2024. The Corporation has entered into an agreement to construct facilities and purchase water from the Brazos River Authority through the Lone Star Regional Water Authority. The project has been completed and the Corporation started taking water from LSRWA in 2023 through the new pump station on CR 303. Additionally, the Corporation can supply fire flow to the new subdivisions along HWY 487.

While the Corporation has seen increased growth over the last couple of years the future growth of the Corporation may see a greater increase. Developers working in the area have taken note of the available land and utilities and are approaching the Corporation for service. These types of developments will bring in subdivisions that will concentrate housing in smaller areas making these areas easy to serve. In the Fall of 2019 and 2020 the Corporation signed agreements for the development of four subdivisions. When all four subdivisions are fully built out, this will add 1,524 additional connections to the Corporation.

Water loss continues to be an issue for the Corporation. Please continue to report any leaks or suspected leaks to our office at 512-746-2114. Our staff will investigate each reported leak and address them in an appropriate manner. If you notice your water pressure is low, please contact the office. Even if you do not see a leak this may be a sign of a water leak in your area. For water quality issues please contact the same number and report the problem. The Corporation maintains a website, www.jswatersupply.com. If there is a large area that is experiencing a water outage an explanation should be available on that site as well as instructions of any precautions to take also you can sign up for water outages alerts.

Thank you for your cooperation and please let us know if you have any questions.

#### Joe Simmons

General Manager
Jarrell Schwertner WSC